

June 16, 2005

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Whitney
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Applications for Permit to Drill: Ashley Federal 13-22-9-15, 14-22-9-15, and 15-22-9-15.

Dear Diana:

Enclosed find APD's on the above referenced wells. If you have any questions, feel free to give either Shon Mckinnon or myself a call.

Sincerely,

Mandie Crozier

Regulatory Specialist

mc

enclosures

JUN 2 0 2005


DIV. OF OIL, GAS & MINING

Form 3160-3 (September 2001)	-	FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004				
UNITED STATES DEPARTMENT OF THE IN			5. Lease Serial No.			
BUREAU OF LAND MANAG			UTU-027345			
Ω Ω 1 APPLICATION FOR PERMIT TO DE	RILL OR REENTER		6. If Indian, Allottee or Tribe Name			
			N/A			
1a. Type of Work: DRILL REENTER	>		7. If Unit or CA Agreemen	t, Name and No.		
			Ashley			
lb. Type of Well: 🔼 Oil Well 🚨 Gas Well 🚨 Other	Single Zone Multi	nla Zona	8. Lease Name and Well N			
2. Name of Operator	Shigle Zone 🖼 Multi	pie Zone	Ashley Federal 15-22-	9-15		
Newfield Production Company			9. API Well No.	-32824		
3a. Address	3b. Phone No. (include area code)		10. Field and Pool, or Explo			
Route #3 Box 3630, Myton UT 84052	(435) 646-3721		Monument Butte	tator y		
4. Location of Well (Report location clearly and in accordance with	<u> </u>		11. Sec., T., R., M., or Blk. a	and Survey or Area		
At surface SW/SE 661' FSL 1978' FEL 546983 y				·		
At proposed prod. zone 442906	64 -110, 215.	18	SW/SE Sec. 22, T9	S R15E		
14. Distance in miles and direction from nearest town or post office*			12. County or Parish	13. State		
Approximatley 16.5 miles southwest of Myton, Utah		г	Duchesne	UT		
15. Distance from proposed* location to nearest	16. No. of Acres in lease	17. Spacin	g Unit dedicated to this well			
property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 662' f/lse, 2710' f/unit	280.00		40 Acres			
18. Distance from proposed location* to nearest well, drilling, completed,	19. Proposed Depth	20. BLM/	BIA Bond No. on file			
applied for, on this lease, ft. Approx. 2585'	5980'		UT0056			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will sta	rt*	23. Estimated duration			
6454' GL	4th Quarter 2005		Approximately seven (7) days from spi	ıd to rig release.		
	24. Attachments		•			
The following, completed in accordance with the requirements of Onshor	re Oil and Gas Order No.1, shall be at	tached to this	s form:			
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office). 	Item 20 above). 5. Operator certific	ation.	ns unless covered by an existi ormation and/or plans as may			
25. Signature Whandip Cusys	Name (Printed/Typed) Mandie Crozier		Date	6/16/0		
Title Regulately Spanialist						
Approved by (Signature)	Name (Printed/Typed)		Date			
	BRADI FY G HIL			27-05		
Title	NVIRONMENTAL SCIENTI	ST III		<u> </u>		
Application approval does not warrant or certify the the applicant holds le operations thereon. Conditions of approval, if any, are attached.	egal or equitable title to those rights in	the subject	lease which would entitle the a	pplicant to conduct		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it States any false, fictitious or fraudulent statements or representations as to		ıd willfully t	o make to any department or a	agency of the United		

*(Instructions on reverse)

Federal Approval of this Action is Necessary

RECEIVED
JUN 2 0 2005



NEWFIELD PRODUCTION COMPANY ASHLEY FEDERAL #15-22-9-15 SW/SE SECTION 22, T9S, R15E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. <u>GEOLOGIC SURFACE FORMATION:</u>

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta 0' - 2500' Green River 2500' Wasatch 5980'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 2500' -5980' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Please refer to the Monument Butte Field SOP.

8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY ASHLEY FEDERAL #15-22-9-15 SW/SE SECTION 22, T9S, R15E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. <u>EXISTING ROADS</u>

See attached Topographic Map "A"

To reach Newfield Production Company well location site Ashley Federal #15-22-9-15 located in the SW 1/4 SE 1/4 Section 22, T9S, R15E, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southwesterly along Hwy 53 - 1.8 miles \pm to it's junction with an existing road to the southwest; proceed southwesterly -13.1 miles \pm to it's junction with an existing two track road to be upgraded; proceed southwesterly $-1840' \pm$ to it's junction with the beginning of the proposed access road; proceed northeasterly along the proposed access road $630' \pm$ to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

All permanent surfaces equipment will be painted Olive Black.

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

7. METHODS FOR HANDLING WASTE DISPOSAL

Please refer to the Monument Butte Field SOP.

8. <u>ANCILLARY FACILITIES</u>

Please refer to the Monument Butte Field SOP.

9. WELL SITE LAYOUT

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

11. SURFACE OWNERSHIP - Bureau Of Land Management

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #03-59, 9/15/03. Paleontological Resource Survey prepared by, Wade E. Miller, 6/7/03. See attached report cover pages, Exhibit "D".

For the Ashley Federal #15-22-9-15 Newfield Production Company requests 630' of disturbed area be granted in Lease UTU-027345 to allow for construction of the proposed access road.

Refer to Topographic Map "B". The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 450' of disturbed area be granted in Lease UTU-02458 and 2910' of disturbed area be granted in Lease UTU-027345 to allow for construction of the proposed gas lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Newfield Production Company requests 450' of disturbed area be granted in Lease UTU-02458 and 2910' of disturbed area be granted in Lease UTU-027345 to allow for construction of the proposed water lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a buried 3" steel water injection line and a 3" poly water return line. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

Critical Deer and Elk: No new construction or surface disturbing activities will be allowed between December 1 and April 30. In the event that this well becomes a producing well, it must be equipped with a multi-cylinder engine or hospital muffler to reduce noise levels.

Great Horned Owl: Due to the proximity of the location to active great horned owl nest, there is the potential to encounter nesting great horned owls between February 1 and July 15. If new construction or surface disturbing activities are scheduled between February 1 and July 15, preconstruction surveys will be conducted to detect the presence of nesting great horned owls within 0.5 mile of any new construction or surface disturbing activity (see Vernal BLM Field Office Protocol). No new construction or surface disturbing activities will be allowed between February 1 and July 15 within a 0.5 mile radius of any active great horned owl nest.

Reserve Pit Liner

A 12 mil liner with felt is required. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Shadscale	Atriplex Confertifolia	3 lbs/acre
Indian Rice Grass	Oryzopsis Hymenoides	4 lbs/acre
Needle and Thread Grass	Stipa Comata	4 lbs/acre
Black Sage	Artemisia Nova	1 lbs/acre

Details of the On-Site Inspection

The proposed Ashley Federal #15-22-9-15 was on-sited on 4/12/05. The following were present; Shon Mckinnon (Newfeild Production), Brad Mecham (Newfield Production), Byron Tolman (Bureau of Land Management), and Amy Torres (Bureau of Land Management). Weather conditions were clear.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name:

Shon Mckinnon

Address:

Route #3 Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

Certification

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #15-22-9-15 SW/SE Section 22, Township 9S, Range 15E: Lease UTU-027345 Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.

I hereby certify that the proposed drillsite and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and

subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


Doto

Date.


Mandie Crozier

Regulatory Specialist


Newfield Production Company





NEWFIELD PRODUCTION COMPANY CROSS SECTIONS ASHLEY UNIT 15-22 20, -111=-111=-111= STA. 2+90 1" = 50'20, 11 STA. 2+22 1" = 50'EXISTING **GRADE** FINISHED GRADE 20, WELL HOLE II 1" = 50'STA. 1+60 20, STA. 0+00 1" = 50'ESTIMATED EARTHWORK QUANTITIES (No Shrink or swell adjustments have been used) (Expressed in Cubic Yards) 6" TOPSOIL EXCESS CUT FILL ITEM Topsoil is not included in Pad Cut 4,640 10 PAD 4,650 NOTE: UNLESS OTHERWISE NOTED 640 PIT 640 ALL CUT/FILL SLOPES ARE TOTALS 650 5,290 4,640 1,090 AT 1.5:1 Tri State Land Surveying, Inc. 180 NORTH VERNAL AVE. VERNAL, UTAH 84078 (435) 781-250 1" = 50' SCALE: SURVEYED BY: D.P. 5-03-05 DATE: F. T.M. DRAWN BY:




SURVEYED BY: D.P.	SCALE:	1" = 50'	\fri_State (435) 781-2501
DRAWN BY: F.T.M.	DATE:	<i>5-03-05</i>	Land Surveying, Inc. 180 NORTH VERNAL AVE. VERNAL, UTAH 84078







9	10 3	11	12	7	8	9	10	11	12	7		9	10	,	1 12	7	6	9	Newfield Wells Location	
16	15	14	13	18	17	16 T 4	S-R2W		13	18	17		4S-R1W		4 13	16	-17	15	Surface Spud Drilling Waiting on Con Producing Oil V	Well
21	22	45-R3W	24	19	20		22		24	534 19 534 534	20	21	22	10	23 24	19	20	T4S-F	/ Water Injection	Well pandoned
28	27	25	25	30	29	31	15 22 Hawkeye	in in a single s	24 24 Uprogram Butter NO	18 Greater to	\$30 1,20 \$30 20 1,20 \$30 10-20 \$20 75	n sånfan sån.	31-22	in in in	25 25 20 24 24 20 25 24 25 25 25	10 X	0 25	25	Water Source \ Weter Disposa Injection Statio UnitOutlines	Well
33	34	35	25	30	9	T8S-F	18E 1	1422 4 20 15 20 4	San Carlos	130 130 130 130 4 130 130 130 130 4 130 130 130 130 130 13 230 130 130 130 130 13 14-30 130 130 130 13 15-30 130 130 130 130 130 130 130 130 130 1	15-20	1 1	10.2	1 120 3 25 16.23 1 120 3 25 16.3 2 1 120 3 25 16.3 2 1 1 20 7 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	24.24 7 15.34	33 2530	රම ක්ව 29 රේග රේක (2 24-3 දුරුකු (2	26	# 18E ## 158 2513	
4	3	188 P	15E Wes	31 632	100 200 200 200 200 200 200 200 200 200	13 13 20 (33 4) 13 13 20 (33 4) 13 13 20 (33 4)	1 52 24 62 2 54 62 24 2 54 62 24 2 54 62	23 34-26 (A.35 24 5-35 5-35 5-35 12-36 2-36 10-35 5-36	200 jun 10-00 630	631 (34 241 (31) 631 (33 631 641) 231 (131 641 641) 501 (141 641 641)	2 10 2 12 12 12 12 12 12 12 12 12 12 12 12 1	Suren furen Suren furen Suren furen Suren sin	મેરે માંદ્ર માટે માં માંદ્ર માંઘ માંઘ	3636 208	438 238 238 138 438 638 739 638 7370708 238	531 531 231631 31 31 1031 931 1	W. W. marke	39 %	234 234 3365 234 234 336 4 2430 4 2430 4	50 d/a 36
9	10 3	2 152 152 151 151 151 151 151 151 151 15	(2) (44 1) (1) (1) (1) (1) (1) (1)	(simle	/ 31-60 /	· / 3145 /	3 x 5	4626	e Godenie e energe en en en	200 ha cia	29 25 75 65 29 25 75 65	54 (4 1541 154 64 1541 154	សំ _ន សំ អំ ។ ភ្នំ អា «សំ ស្នី «	22 162 16	4 4 4 4	55 575 154 55 154 154		1 164	2 63 2	,
15	100	1 21 21 21 21 2 3 1 21 21 21 22 3 1 21 21 21 22 22 22 22 22 22 22 22 22 22	Sec. 4. 1. 47	6 2 4 4	S 31-8 /	ti-s af-er	310 210 41-101	Att An and	12 1 15 12 1 15 12 12 12 12 12 12 12 12 12 12 12 12 12	(1	15 27-0H 31-0H 2 10H 25-0H 31-0 45-0 15-0 25-0 55-0 45-0	12-94 23-94 959 14-94 13-94	19-10 15-10 15-10	Arrain il Arrain Arrain Arrain Arrain	5-12 12 7-12	۵,	150 150 150 150 150 150 150 150 150 150	0	51010	•
	200 200 43	4-11 25-1 15-11 16-20 4-374 374 174 175 175 54-574 54 674 573 54-17-54 5 184	13-12	31-Tay 4-17	287 2837 2837	16 42-16	20-10-15 20-15 20-10-15 20-15 20-15 20-15	tein tein où où choù	£ 21-13V	416 316 0176 18779618 2 316	1 201 / 100	184 1076 878 2-188 1878 84 178 1878 1878 84	515 515 516 15 1015	Hanna Maria	13	473 7	17	16 TOS-R1	15 14	33-14
13,15 1,22 3		9S-R15E	24 19 .3 48	19	-	31 Stv 3		R16E	da u	18 0 9 0 8-18	20-1 23-2 20	21	2 -R17E	23	24	31-137 1 19 G-13 43-13	22-20y 20	21 Grv	22 23	2
	2	7 28	25	30	29	29	27	25 7.25	25 25	e-sa 30	29	28	zı	26	25	30	25 29 20	28	27 26	3 2
	34	35	36	31	32	33	34	35	36	31	32	33	34	35	35	31	322	33	NEWFIELD Exhibit A	+
File	OS-RI	5E,	1	6	5	T10S-R	16E,	2	- 1	5	6	* T11	S-R17E	2	1	6	5	Aurus P	Discheme & Ulrich Crusti has bulling 1000 Commence 62251547 January 8000000	ies .



2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

Exhibit "D"

Page 154

CULTURAL RESOURCE INVENTORY OF INLAND RESOURCES' 1573 ACRE ASHLEY UNIT, IN TOWNSHIP 9S, RANGE 15E, SECTIONS 22, 23 AND 24, DUCHESNE COUNTY, UTAH

By:

Christopher M Nicholson and Keith R. Montgomery

Prepared For:

Bureau of Land Management Vernal Field Office Vernal, Utah

Prepared Under Contract With:

Inland Resources Route 3, Box 3630 Myton, UT 84052

Prepared By:


Montgomery Archaeological Consultants P.O. Box 147 Moab, Utah 84532

MOAC Report No. 03-59

September 15, 2003

United States Department of Interior (FLPMA)
Permit No. 03-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-03-MQ-0392b



INLAND RESOURCES, INC.

PALEONTOLOGICAL FIELD SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, DUCHESNE COUNTY, UTAH

(South half Section 13, south half Section 14, south half Section 15, entire Sections 22, 23, 24, T 9 S, R 15 E; Section 5 minus SW & SE 1/4, SE 1/4, and existing well site at NW 1/4, NE 1/4, T 9 S, R 18 E)


REPORT OF SURVEY

Prepared for:

Inland Resources, Inc.


Prepared by:

Wade E. Miller Consulting Paleontologist June 7, 2003



WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/20/2005	API NO. ASSIGNED: 43-013-32824
WELL NAME: ASHLEY FED 15-22-9-15 OPERATOR: NEWFIELD PRODUCTION (N2695) CONTACT: MANDLE CROZIER	PHONE NUMBER: 435-646-3721
PROPOSED LOCATION: SWSE 22 090S 150E SURFACE: 0661 FSL 1978 FEL BOTTOM: 0661 FSL 1978 FEL DUCHESNE MONUMENT BUTTE (105) LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-027345 SURFACE OWNER: 1 - Federal PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO	INSPECT LOCATN BY: / / Tech Review Initials Date Engineering Geology Surface LATITUDE: 40.01103 LONGITUDE: -110.2152
RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UT0056) Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. MUNICIPAL) RDCC Review (Y/N) (Date:) Here Surf Agreement (Y/N)	LOCATION AND SITING: R649-2-3. Unit ASHLEY R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: 243-1 Eff Date:
Sop, S. Stipulations: 1-£	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

June 21, 2005

Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2005 Plan of Development Ashley Unit,

Duchesne County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2005 within the Ashley Unit, Duchesne County, Utah.

API#

WELL NAME

LOCATION

(Proposed PZ Green River)

43-013-32822 Ashley Federal 13-22-9-15 Sec 22 T09S R15E 0475 FSL 0481 FWL 43-013-32823 Ashley Federal 14-22-9-15 Sec 22 T09S R15E 0489 FSL 1548 FWL 43-013-32824 Ashley Federal 15-22-9-15 Sec 22 T09S R15E 0661 FSL 1978 FEL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Ashley Unit

Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron

MCoulthard:mc:6-21-05



State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR. Governor

> GARY R. HERBERT Lieutenant Governor

> > June 27, 2005

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re:

Ashley Federal 15-22-9-15 Well, 661' FSL, 1978' FEL, SW SE, Sec. 22,

T. 9 South, R. 15 East, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-32824.

Sincerely,

Gil Hunt

Acting Associate Director

pab Enclosures

cc:

Duchesne County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Newfie	ld Production Company	
Well Name & Number	Ashley	Federal 15-22-9-15	
API Number:	43-013-	-32824	
Lease:	UTU-0	27345	
Location: SW SE	Sec. 22	T. 9 South	R. 15 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

Accepted by the Utah Division of Oil, Gas and Mining

FOR RECORD ONLY

Form 3160-3 (September 2001)		FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004				
UNITED STATES	5. Lease Serial No.					
DEPARTMENT OF THE IN BUREAU OF LAND MANAG	UTU-027345					
	APPLICATION FOR PERMIT TO DRILL OR REENTER					
APPLICATION FOR PERMIT TO DE	CILL OR R	CEENIER		N/A		
I T CW I DINGE				7. If Unit or CA Agree	ment, Name and No.	
1a. Type of Work: 🖾 DRILL 🔲 REENTER	(Ashley		
lb. Type of Well: 🔼 Oil Well 🚨 Gas Well 🚨 Other	lb. Type of Well: Oil Well Gas Well Other Single Zone Multiple Zone					
2. Name of Operator	9, API Well No.	0 . 0 . 4				
Newfield Production Company				43.013"	32824	
3a. Address		10. Field and Pool, or E.	xploratory			
Route #3 Box 3630, Myton UT 84052 (435) 646-3721				Monument But		
4. Location of Well (Report location clearly and in accordance with	any State requ	uirements.*)		11. Sec., T., R., M., or E	Ilk. and Survey or Area	
At surface SW/SE 661' FSL 1978' FEL		SW/SE Sec. 22, T9S R15E				
At proposed prod. zone				12. County or Parish	13. State	
14. Distance in miles and direction from nearest town or post office*				Duchesne	UT	
Approximatley 16.5 miles southwest of Myton, Utah 15. Distance from proposed*	16. No. of Acres in lease 17. Spac.		17 Spacir	ng Unit dedicated to this w		
location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 662' f/lse, 2710' f/unit		80.00	17. Spacii	40 Acres	JAK	
18. Distance from proposed location*	19. Propos	ed Depth	20. BLM/	BIA Bond No. on file		
to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 2585'	5980'			UT0056		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will start*			23. Estimated duration		
6454' GL	4th Quarter 2005			Approximately seven (7) days fro	om spud to rig release.	
	24. Atta	achments				
The following, completed in accordance with the requirements of Onshor	re Oil and Ga	s Order No.1, shall be at	tached to thi	s form:		
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office). 	Lands, the	Item 20 above). 5. Operator certification	eation. specific inf	ns unless covered by an e		
25. Signature	•	e (Printed/Typed)		Ĺ	Date / /// /	
- 1 handle work	う:Ma	ndie Crozier		1	10/16/00	
Title Regulatory Specialist				1	Date /	
Appropriy (Signature)	Nam	e (Printed/Typed)		1 1	osh 3/m	
Title Addistrate Hotel Manag	Offic	ce		1 (sajo aj suk	
Maritimes of the second of the	3					

Application approval does not warrant or certify the the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

MOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED



UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE**

170 South 500 East

VERNAL. UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No:

Newfield Production Company Ashley Federal 15-22-9-15

Location: Lease No: SWSE, Sec. 22, T9S, R15E

Cell: 435-828-4470 Cell: 435-828-7875 Cell: 435-828-3913 Cell: 435-828-4029

API No: 43-013-32824 Agreement:

UTU-027345 **Ashley Unit**

Petroleum Engineer: Petroleum Engineer:	Matt Baker Michael Lee	Office: 435-781-4490 Office: 435-781-4432
Supervisory Petroleum Technician:	Jamie Sparger	Office: 435-781-4502
Environmental Scientist:	Paul Buhler	Office: 435-781-4475
Environmental Scientist:	Karl Wright	Office: 435-781-4484
Natural Resource Specialist:	Chris Carusona	Office: 435-781-4441
Natural Resource Specialist:	Holly Villa	Office: 435-781-4404
Natural Resource Specialist:	Melissa Hawk	Office: 435-781-4476
Natural Resource Specialist:	Scott Ackerman	Office: 435-781-4437
Natural Resource Specialist:	Nathaniel West	Office: 435-781-4447
After hours contact number: (435) 781-	4513	FAX: (435) 781-4410

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a one-year period. An additional year extension may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify Chris Carusona) Forty-Eight (48) hours prior to construction of location and access roads.

Location Completion (Notify Chris Carusona) Prior to moving on the drilling rig.

Spud Notice (Notify Petroleum Engineer) Twenty-Four (24) hours prior to spudding the well.

Casing String & Cementing (Notify Jamie Sparger SPT) Twenty-Four (24) hours prior to running casing and cementing all casing strings.

BOP & Related Equipment Tests (Notify Jamie Sparger SPT)

- Twenty-Four (24) hours prior to initiating pressure tests.

First Production Notice (Notify Petroleum Engineer) Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

Page 2 of 8 Well: Ashley Federal 15-22-9-15 5/2/2006

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- This well is being approved in accordance with Washington Instruction Memorandum 2005-247 and Section 390 (Category 3) of the Energy Policy Act which establishes statutory categorical exclusions (CX) under the National Environmental Policy Act (NEPA). Category 3 states that an oil or gas well can be drilled within a developed field for which an approved land use plan or any environmental document prepared pursuant to NEPA analyzed drilling as a reasonably foreseeable activity, so long as such plan or document was approved within five (5) years prior to the date of spudding the well. This well is covered under the Final Environmental Impact Statement and Record of Decision Castle Peak and Eightmile Flat Oil and Gas Exploration Project Newfield Rocky Mountains Inc., signed November 21, 2005. If the well has not been spudded by November 21, 2010, a new environmental document will have to be prepared prior to the approval of the APD.
- All applicable local, state, and/or federal laws, regulations, and/or statutes must be complied with.
- The proposed buried pipelines will be laid adjacent to the access roads, using the road as a working surface. The pipeline trench shall be dug in the borrow ditch of the road and the trench material side cast into the existing vegetation. Upon completion of backfilling the trenches, reclaim with a seed drill using the seed mix listed below. Seeding shall include the area where the trench material was set aside.
- Construction related traffic shall be restricted to approved routes. Cross-country vehicle travel will not be allowed.
- If additional erosion occurs during the life of this project, more culverts, low water crossings, berms, wing ditches or etc. will be needed to control the erosion.
- The reserve pit will be lined with a 16 ml or greater liner.
- No vehicle travel, construction or routine maintenance activities shall be performed during
 periods when the soil is too wet to adequately support vehicles and/or construction equipment.
 If such equipment creates ruts in excess of four inches deep, the soil shall be deemed too wet
 to adequately support construction equipment.
- The liner is to be cut at the level of the cuttings or treated to prevent the reemergence of the
 pit liner and pit material to the surface or its interference with long-term successful revegetation. Any excess liner material removed from the pit is to be disposed of at an
 authorized disposal site.
- When the reserve pit contains fluids or toxic substances, the operator must ensure that animals do not ingest or become entrapped in pit fluids.
- Drill cuttings and mud will remain in the reserve pit until **DRY**. The reserve pit must be free of oil and other liquid and solid wastes, allowed to dry, be pumped dry, or solidified in-situ prior to filling. The reserve pit will not be "squeezed," (filled with soil while still containing fluids) or "cut" (puncturing the pit liner while still containing fluids to allow pit fluids to drain from the pit).
- Prevent fill and stock piles from entering drainages.

Page 3 of 8

Well: Ashley Federal 15-22-9-15

5/2/2006

• CULTURAL AND PALEONTOLOGICAL RESOURCES STIPULATION. Any cultural and/or paleontological resource (historic or prehistoric site or object or fossil) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and a decision as to proper mitigation measures shall be made by the authorized officer after consulting with the holder.

- Initial construction will not occur between December 1 and April 30 if deer or elk are present.
- If an active great-horned owl nest is found within 0.5 miles of the work site, initial construction will not commence between February 1 and May 15.
- If an active Cooper's hawk nest is found within 0.5 miles of the work site, initial construction will not commence between May 1 and August 15.
- The access road will be crowned and ditched. Flat-bladed roads are **NOT** allowed.
- Notify the Authorized Officer 48 hours prior to surface disturbing activities between August 15 and November 30. During other times of the year a 2 week notice will be needed so biologists can verify nesting/big game activity.
- All well facilities not OSHA regulated will be painted Olive Black.
- Trees which must be removed from the location must be piled separately off location and saved for final reclamation purposes.
- Interim Reclamation (see below):
 - The first 4-6 inches of topsoil from the construction site will be stripped and piled separately from other excavated material.
- Where areas will be set aside on an interim basis (areas due to receive further disturbance prior to final reclamation) these sites will be re-contoured as much as possible, have needed top soil re-spread and planted with the seed mix below:

Galleta grass Hilaria jamesil 15 lbs/acre
 Western wheatgrass Pascopyrum smithii 6 lbs/acre
 Per Live Seed Total 21 lbs/acre

- Once the location is plugged and abandoned contact the Authorized Officer for final reclamation plans.
- The seed mix listed in the APD (black sage, shadscale, Indian rice grass, needle and thread grass) shall be used to seed all unused portions of the pad no longer needed for ongoing or future operation. Re-seeding may be required if the first seeding is not successful.
- All seed mixtures shall be weed free.
- The seed shall be drilled or hand broadcast and harrowed into the ground during September
 of the year following earthwork for initial or final reclamation. Planting depth shall not exceed

Page 4 of 8 Well: Ashley Federal 15-22-9-15 5/2/2006

one-half inch using a seed drill. Weed seed free mulch shall also be applied to the planting area sufficiently to uniformly cover 80% of the seeded area. Hydroseeding and mulching can also be used, but seeding rates will need to be doubled.

Page 5 of 8 Well: Ashley Federal 15-22-9-15

5/2/2006

DOWNHOLE CONDITIONS OF APPROVAL

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL

None

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well. Any changes in operation must have prior approval from the BLM, Vernal Field Office Petroleum Engineers.
- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- Blowout prevention equipment (BOPE) will remain in use until the well is completed or abandoned. Closing unit controls must remain unobstructed and readily accessible at all times. Choke manifolds must be located outside of the rig substructure.
- All BOPE components will be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests must be performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test must be reported in the driller's log.
- BOP drills must be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- All shows of fresh water and minerals will be reported and protected. A sample will be taken of any water flows and a water analysis furnished the BLM, Vernal Field Office. All oil and gas shows will be adequately tested for commercial possibilities, reported, and protected.
- No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the BLM, Vernal Field Office. If operations are to be suspended

Page 6 of 8 Well: Ashley Federal 15-22-9-15 5/2/2006

for more than 30 days, prior approval of the BLM, Vernal Field Office must be obtained and notification given before resumption of operations.

- Chronologic drilling progress reports must be filed directly with the BLM, Vernal Field
 Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers
 until the well is completed.
- Any change in the program must be approved by the BLM, Vernal Field Office. "Sundry Notices and Reports on Wells" (Form BLM 3160-5) must be filed for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.
- Emergency approval may be obtained orally, but such approval does not waive the
 written report requirement. Any additional construction, reconstruction, or alterations of
 facilities, including roads, gathering lines, batteries, etc., which will result in the
 disturbance of new ground, will require the filing of a suitable plan pursuant to Onshore
 Oil & Gas Order No. 1 of 43 CFR 3164.1 and prior approval by the BLM, Vernal Field
 Office.
- In accordance with 43 CFR 3162.4-3, this well must be reported on the "Monthly Report
 of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in
 which operations commence and continue each month until the well is physically
 plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals
 Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800525-7922 (303) 231-3650 for reporting information.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) will be submitted only when requested by the BLM, Vernal Field Office.
- Please submit an electronic copy of all logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM. The cement bond log must be submitted in raster format (TIF, PDF other).
- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the BLM, Vernal Field Office.
- All measurement points shall be identified as point of sales or allocation for royalty determination prior to the installation of facilities.
- Oil and gas meters will be calibrated in place prior to any deliveries. The Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be

Page 7 of 8

Well: Ashley Federal 15-22-9-15

submitted to the BLM, Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement.

- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM, Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- This APD is approved subject to the requirement that, shall the well be successfully completed for production, the BLM, Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and / or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas will be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from Field Office Petroleum Engineers.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events as defined in NTL3A, will be reported verbally within 24 hours, followed by a written report within 15 days.
 "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.

Page 8 of 8

Well: Ashley Federal 15-22-9-15

5/2/2006

Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

• FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
Budget Bureau No. 1004-0135
Combiner Manula 21, 1002

OF THE INTERIOR	Budget Bureau 140: 1001 5
ND MANAGEMENT	Expires: March 31, 1993

BUREAU OF LAND MA	Expires: March 31, 1993			
	5. Lease Designation and Serial No.			
SUNDRY NOTICES AND REPO	UTU-027345			
Do not use this form for proposals to drill or to deepen or re Use "APPLICATION FOR PER	6. If Indian, Allottee or Tribe Name NA			
SUBMIT IN TRIPL	ICATE	7. If Unit or CA, Agreement Designation ASHLEY (GR RVR)		
1. Type of Well Oil Well Gas Well Other	8. Well Name and No. ASHLEY FEDERAL 15-22-9-15 9. API Well No.			
2. Name of Operator NEWFIELD PRODUCTION COMPANY	43-013-32824 10. Field and Pool, or Exploratory Area MONUMENT BUTTE			
3. Address and Telephone No. Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 661 FSL 1978 FEL SW/SE Section 22, T98	S R15E	11. County or Parish. State DUCHESNE COUNTY, UT.		
12. CHECK APPROPRIATE BOX(s) TO INDI	CATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE	OF ACTION		
X Notice of Intent	Abandonment	Change of Plans		

TYPE OF SUBMISSION	TYPE OF	- ACTION
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 6/27/05 (expiration 6/27/06).



COPY SENT TO OPERATOR

14. Thereby certify that the for going is true and correct			Congression and	医克里特氏试验检检验 医腹膜炎 医肾炎
What was a long	Billo little	Regulatory Specialist	Date	6/1/2006
Mandie Crozier	our s			
CC: U î AH DOGM				
(This space for Federal or State office use)				
Approved by	Title	prog	Date	
			(1)	

JUN 0 2 2006

^{13.} Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is direction ally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*



Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API: Well Name: Ashley Federal 15-22-9-15 Location: SW/SE Section 22, T9S R15E Company Permit Issued to: Newfield Production Company Date Original Permit Issued: 6/27/2005
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
f located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□ ೧⊖
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□No☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑
Have there been any changes to the access route including ownership, or right- of-way, which could affect the proposed location? Yes□No ☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐
Wandalogin 6/1/2006
Signature Date
Title: Regulatory Specialist
Representing: Newfield Production Company

(June 1990)	THE PARTY OF THE P		Budget Bureau No. 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No.	
SUNI	DRY NOTICES ANI	REPORTS ON WELLS	UTU-027345	
Do not use this form for		pen or reentry a different reservoir. OR PERMIT -" for such proposals	6. If Indian, Allottee or Tribe Name NA	
	SUBMIT IN	TRIPLICATE	7. If Unit or CA, Agreement Designation ASHLEY (GR RVR)	
1. Type of Well X Oil Gas Well Other			8. Well Name and No. ASHLEY FEDERAL 15-22-9-15 9. API Well No.	
2. Name of Operator	DELCOMED A DIST		43-013-32824	
 	DUCTION COMPANY		10. Field and Pool, or Exploratory Area MONUMENT BUTTE	
3. Address and Telephone No. Rt. 3 Box 3630, My	ton Utah, 84052 435-6	46-3721	11. County or Parish, State	
	, T., R., m., or Survey Description)		DUCHESNE COUNTY, UT.	
		TO INDICATE NATURE OF NOTICE, REPOR		
TYPE OF SU	BMISSION	TYPÉ OF	ACTION	
Sı	otice of Intent obsequent Report nal Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
		and give pertinent dates, including estimated date of starting any proposed v for all markers and zones pertinent to this work.)*	work. If well is direction-	
	tion Company reques s 5/3/06 (expiration 5	ts to extend the Permit to Drill this we /3/07).	ll for one year. The original	
		RECEIVE	D	
		MAY 1 4 200	VERIVAL. 2007 MAY - DEPT. OF BUREAU O	
		DIV. OF OIL, GAS & M	PERNAL F	
	CO	NDITIONS OF APPROVAL ATTACHED	RECEIVED VERHAL FIELD OF 2007 MAY - PM 2 DEPT. OF THE INTE BUREAU OF LAND F	

14. I hereby certify that the foregoing is true and correct Regulatory Specialist 4/30/2007 Date Title Signed Mandie Crozier CC: UTAH DOGM Petroleum Engineer (This space for Federal or State office MAY 0 3 2007 Approved by Conditions of approval, if any:

CC: Utah DOGM



CONDITIONS OF APPROVAL

Newfield Production Co.

Notice of Intent APD Extension

Lease:

UTU-027345

Well: Location: Ashley Fed 15-22-9-15

SWSE Sec22-T9S-R15E

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 05/03/08
- 2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Matt Baker of this office at (435) 781-4490

<#ORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No.

FORM APPROVED

 	6	
TITTIO	27245	

SUNDRY	NOTICES	AND REP	ORTS	ON WELLS
--------	---------	---------	------	----------

UTU-027345 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals NA 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE **ASHLEY (GR RVR)** 1. Type of Well Oil Gas 8. Well Name and No. X **ASHLEY FEDERAL 15-22-9-15** Well Other Well 9. API Well No. 43-013-32824 2. Name of Operator NEWFIELD PRODUCTION COMPANY 10. Field and Pool, or Exploratory Area MONUMENT BUTTE 3. Address and Telephone No. Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721 11. County or Parish, State 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) **DUCHESNE COUNTY, UT.** 661 FSL 1978 FEL SW/SE Section 22, T9S R15E

TYPE OF SUBMISSION	TYPE OF ACTION		
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 6/27/05 (expiration 6/27/07).

> Approved by the Utah Division of Oil, Gas and Mining

RECEIVED MAY 3 1 2007

DIV. OF OIL, GAS & MINING

1		-	Contraction designs by Marketon Service
14. I hereby certify that the foregoing is true and correct Signed Mandie Crozier Title	Regulatory Specialist	Date	5/29/2007
CC: UTAH DOGM			
(This space for Federal or State office use)			
Approved by Title		Date	
Conditions of approval, if any:			
CC: Utah DOGM			

Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API:	43-013-32824		
Well Name:			
Location:	SW/SE Section 22,T		
• •	Permit Issued:	Newfield Production Com	pany
Date Original	remmi issueu.	0/2/12003	
above, hereby	verifies that the	n legal rights to drill on information as submitt mains valid and does	•
Following is a verified.	checklist of some	e items related to the a	application, which should be
-	rivate land, has tl en updated? Yes		I, if so, has the surface
•		the vicinity of the propo nts for this location? Y	osed well which would affect es⊟ No <i>I</i> Z
	•	er agreements put in p roposed well? Yes⊡ N	lace that could affect the lo☑
	•	to the access route incoroposed location? Yes	luding ownership, or right- s□ No ☑
Has the approv	ed source of wa	ter for drilling changed	l? Yes□No ⊡
	ire a change in p	changes to the surface lans from what was di	location or access route scussed at the onsite
Is bonding still	in place, which c	covers this proposed w	rell? Yes ☑ No □
\sim		•	F 120 120 0F
11 Kan	diluga	<u> </u>	5/29/2007
Signature	\mathcal{O}		Date
Title: Regulator	y Specialist		
Representing:	Newfield Productio	on Company	

<i³ORM 3160-5 (June 1990) .

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

Budget Bureau No. 1004-0135 Expires: March 31, 1993

FORM APPROVED

SUNDRY NOTICES AN	5. Lease Designation and Serial No. UTU-027345	
Do not use this form for proposals to drill or to dec Use "APPLICATION F	6. If Indian, Allottee or Tribe Name	
SUBMIT IN	N TRIPLICATE	7. If Unit or CA, Agreement Designation ASHLEY (GR RVR)
X Oil Gas Well Other		8. Well Name and No. ASHLEY FEDERAL 15-22-9-15 9. API Well No.
2. Name of Operator		43-013-32824
NEWFIELD PRODUCTION COMPANY		10. Field and Pool, or Exploratory Area MONUMENT BUTTE
 Address and Telephone No. Rt. 3 Box 3630, Myton Utah, 84052 435-6 	646-3721	11. County or Parish, State
4. Location of Well (Footage, Sec., T., R., m., or Survey Description)		DUCHESNE COUNTY, UT.
) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
TYPE OF SUBMISSION	ТҮРЕ	OF ACTION
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent details ally drilled, give subsurface locations and measured and true vertical depths Newfield Production Company reques approval date was 6/27/05 (expiration)	s for all markers and zones pertinent to this work.)* sts to extend the Permit to Drill this	
		RECEIVED
	Approved by the Utah Division of	
	Utah Division of	MAY 3 1 2007
	Oil, Gas and Mining	DIV. OF OIL, GAS & MINING
	Date: 30 By:	COPY SENT TO OPERATOR Date: 2/3/61
4. I hereby certify that the foregoing is true and correct	,	5/20/2007
Signed Mandie Crozier	Title Regulatory Specialist	Date 5/29/2007
CC: UTAH DOGM		
(This space for Federal or State office use)	Title	Date
Approved by	11110	Date
Conditions of approval, if any: CC: Utah DOGM		

Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API: Well Name:	43-013-32824 Ashley Federal 15-	22-9-15	
Location:	SW/SE Section 22,7	T9S R15E	
		Newfield Production Con	npany
Date Original	Permit Issued:	6/27/2005	
above, hereby	verifies that the	n legal rights to drill or information as submit mains valid and does	
Following is a verified.	checklist of some	e items related to the	application, which should be
•	rivate land, has t en updated? Yes	•	d, if so, has the surface
•		the vicinity of the prop nts for this location? \	osed well which would affect ∕es⊟No⊠
		er agreements put in p roposed well? Yes⊟	blace that could affect the No ☑
		to the access route incorposed location? Ye	cluding ownership, or right- es □ No ☑
Has the approv	ed source of wa	ter for drilling change	d? Yes□Nol⁄2
	ire a change in p		e location or access route iscussed at the onsite
Is bonding still	in place, which o	covers this proposed v	well? Yes ☑No □
		•	
1/ Kan	dilun	<u> </u>	5/29/2007
Signature	\mathcal{O}		Date
Title: Regulator	y Specialist		
Representing: -	Newfield Productio	on Company	_



GARY R. HERBERT Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA Division Director

May 23, 2008

Mandie Crozier Newfield Production Co Route 3 Box 3630 Myton, UT 84052

43 013 32824 Ashley Fed. 15-22-9-15 15E 2Z

Re: APDs Rescinded at the request of Newfield Production Company

Dear Ms. Crozier:

Enclosed find the list of APDs that you requested to be rescinded to Newfield Production Company. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective May 20, 2008.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject locations.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Environmental Scientist

Well File cc:

Bureau of Land Management, Vernal



Page 2 May 23, 2008 Subject:

Ashley Federal 15-22-9-15

Federal 7-18-9-18

Federal 7-28-9-17

Federal 8-28-9-17

Federal 9-28-9-17

Federal 11-28-9-17

Federal 12-28-9-17

Federal 13-28-9-17

Federal 14-33-8-18

Federal 14-28-9-17

Federal 15-28-9-17

Federal 16-28-9-17